CF01 Full Face Mask

PRODUCT DESCRIPTION

Light, low breathing resistance. CF01 full face mask is the user-friendly choice in the market.

APPLICATION

CF01 full face mask can **ONLY** be used with STS CA series. Please refer to the back page for further information of filters.

KEY FEATURES

Lightness
Fitness and stability
Good combination
3D Curve visor
Fasy breathing

One of the lightest full face mask available in the market.

Six-point head harness ensure maximum fitness and stability.


Designed to use with a hard hats and coveralls.

Minimum distance between eyes and lens gives broad field of vision.

Low inhalation resistance.

TECHNICAL DATA

Material	TPE (Thermoplastic elastomers)
Sizes	Small (S), Medium (M), Large (L)
Visor	Anti-scratch coated polycarbonate
Connector	"Twist lock" connectors for use with STS CA series filter range
Weight	Approx. 360g (without filters)
Approvals	EN 136 Class 1, AS/NZS 1716



PARTS LIST

No.	Part name		Order No.
1	Face Blank		-
2	Visor		-
3	Filter - Please refer to table below.		
4	*Exhalation Valve		50000
<u>(5)</u>	Exhalation Valve Seat		-
6	Exhalation Valve Cover		-
① ③ ③ ④ ⑤ ⑤ ⑦ ⑧ ⑨ ⑩	*Inhalation Valve		50121
8	Inhalation Valve Seat		-
9	*Inner Mask Valve		50122
10	Inner Mask Valve Seat		-
·		S	41101
11)	*Inner Mask	M	41102
		L	41103
12	Speech Diaphragm		
12 13 14 15 16	*Head Harness		
14)	*Button		41401
15	*Adjuster		
	*Gasket		50418
* C	are newto evallable for nurshage		

^{*=}Spare parts available for purchase

COMPATIBLE FILTERS

Туре	Product Name	Appearance	Dia.	Height [mm]	Weight	Filter Type	Colour Code	Packing Unit	Product Code
Gas filters	CA-A1	0	82	24	≤ 55	A1		20 pcs / box	40201
	CA-A2	O B	82	34	≤ 80	A2		20 pcs / box	40202
	CA-K1	0	82	34	≤ 125	K1	Ī	20 pcs / box	40204
	CA-ABEK1		82	34	≤ 100	A1, B1, E1, K1	in	20 pcs / box	40203
	CA-AX		82	44	≤ 130	AX	ī	10 pcs / box	40225
Particle filters	P2R	a a	77	21	≤ 22	P2 R		20 pcs / box	40301
	P3R	a a	77	21	≤ 22	P3 R		20 pcs / box	40302
	P2RC*1	R	86	+14.5*2	≤ 20	P2 NR		28 pcs / box	41521
	P3RC*1		86	+14.5*2	≤ 20	P3 NR		28 pcs / box	41522

^{*1} P3RC and P2RC Particle Filter can only be used when attaching to gas filter CA Series, and used as combined filter *2 "+" shows the additional height when P3RC/P2RC is attached to each gas filter CA Series

MATERIALS

Component	Material
Face Blank	TPE (Thermoplastic elastomers)
Inner Mask	TPE (Thermoplastic elastomers)
Visor	Polycarbonate
Inhalation Valve	Silicone Rubber
Exhalation Valve	Silicone Rubber
Gasket	Silicone Rubber
Head Harness	TPU, Polybutylene terephthalate

IMPORTANT NOTICE

All information contained in tables and notes have been compiled using skills and diligence. SHIGEMATSU WORKS CO., LTD. publishes such information in good faith however will not be responsible for any errors or omissions contained in this guide.