1/13/2020 models\_0008116

## IAPMO RESEARCH AND TESTING, INC.

5001 E. Philadelphia Street, Ontario, CA 91761-2816 • (909) 472-4100 • Fax (909) 472-4244 • www.iapmort.org







# **IAPMO R&T Product Listing**



This IAPMO R&T Listing is current as of 1/12/2020

Product: Emergency Eyewash and Shower Equipment File No. 8116

Issued To:

GUARDIAN EQUIPMENT

1140 N NORTH BRANCH STREET

CHICAGO, IL 60642

Identification: Manufacturer's logo shall be permanently marked on the product. Products shall be marked with the

cUPC® certification mark.

Characteristics: Eyewash and shower equipment for the emergency treatment of the eyes or the body of a person who has been exposed to injurious materials. To be installed in accordance with manufacturers

instructions and the latest edition of the Uniform Plumbing Code.

Products listed on this certificate have been tested by an IAPMO R&T recognized laboratory. This recognition has been granted based upon the laboratory's compliance to the applicable

requirements of ISO/IEC 17025.

Products are in compliance with the following  $\operatorname{code}(s)$ :

Uniform Plumbing Code (UPC®) National Plumbing Code of Canada

Products are in compliance with the following standard(s):

ANSI/ISEA Z358.1-2014

MODELS:

#### Model No.:

G1200

G1201

G1540

G1540HTR

G1561

G1562

G1562HTR

G1627

G1629\*\*

G1635\*\*\*

G1640 G1641

G1643\*\*\*

G1643MOH G1648

G1653\*\*\*

G1656

G1658\*\*\*

G1662\*\*\* G1670\*\*

G1671\*\*

G1672\*\*

G1676

G1677

G1689

G1691\*\* G1692\*\*

G1693

G1694

G1695

G1696

G1699

G1704\*\*\*

G1709

G1721\*\*

G1724\*\*

G1727

G1730

G1735\*\*

G1745\*\*

G1750\*\*

G1753

G1755

G1756

G1760\*\*\*

G1765

G1766

G1771

G1773

G1774\*\*

G1775\*\*

G1776

G1778\*\*\*

G1779\*\*\*

G1781\*\*

G1782

G1784\*\*\*

G1786

G1791

G1792

G1794\*\*\*

G1796

G1803 G1804

G1805\*\*

G1805ABB

G1806\*\*

G1808

G1808CAM

G1810\*\*

G1813

G1814\*\*

G1815\*\*

G1819

G1822\*\*

G1822MOH

G1825\*\*\* G1847

G1848\*\*\*

G1849\*\*\*

G1890

G1891\*\*

G1892

G1893\*\* G1894\*\*

G1895\*\*

G1896

G1898\*\*\*

G1899\*\*\* G1902\*\*\*

G1909\*\*\*

G1914

G1930\*\*\*

1/13/2020

G1931\*\*\*

G1941\*\*

G1942\*\*\*

G1943\*\*\*

G1945

G1946\*\*\*

G1947

G1948

G1949

G1950\*\*\*

G1990

G1991\*\*\*

G1992\*\*

G1993

-1001

G1994\*\*\*

G1995\*\*

G1996\*\*\*

G1998

G2010

G4710

G4730

G5014\*\*

G5019\*\*

G5022\*\*\*

G5026\*\*\*

G5028\*\*

G5041\*\*

G5044\*\*

G5046\*\*\* GBF1629

GBF1635\*\*\*

GBF1643\*\*\*

GBF1658\*\*\*

GBF1662

GBF1670\*\*\*

GBF1671

GBF1672\*\*\*

GBF1675

GBF1704\*\*

GBF1721\*\*

GBF1724\*\*

GBF1735\*\*

GBF1735DP\*\*

GBF1735FDP

GBF1736

GBF1736DP

GBF1737

GBF1779\*\*\*

GBF1848\*\*\*

GBF1849\*\*\*

GBF1909\*\*\* GBF1994

GBF2100\*\*\*

GBF2110\*\*

GBF2120\*\*\*

GBF2150\*\*\*

GBF2152\*\*\*

GBF2153

GBF2160\*\* GBF2162

GBF2163

GBF2170\*\*\*

GBF2172

GBF2252

GBF2350

GBF2352

GBF2360

GBF2362 GBF2370

GBF2372

GBF2452

GBF2462

GBF2472

GBF2552

GBF2562

GBFVR1735

GC1647\*\*\*

GC1912\*\*\*

GC1919\*\*

GFR1205

GFR1724\*\*

GFR1814\*\*

GFR1825\*\*

GFR1902\*\*\*

GFR1909\*\*\*

GFR3100\*\*\*

GFR3110\*\*\*

GFR3200\*\*\*

GFR3210\*\*\*

GFR3300\*\*\*

GFR3310\*\*\*

GFR3500\*\*\*

GFR3510\*\*\*

GSC2650A

GSC2650D

GSC2650G

GSC2650J

GSC2650K

\*\* and \*\*\* denote the following options:

BOWL COVER

ΒP BACK FLOW PREVENTER

ΒI BOTTOM INLET

BRAIDED STAINLESS STEEL HOSE BSH

BRITISH THREAD BT

CC CHICAGO CODE VACUUM BREAKER

CT COLOR TECH

DC STAINLESS STEEL DUST COVER FSH FLEXIBLE STAINLESS STEEL HOSE

GUARDIAN COLOR GC

HFC HAND FOOT CONTROLED ACTUATION ASSEMBLY

HG UNDER COUNTER HOSE GUARD HS DRENCH HOSE ATTACHMENT

LEFT

P

LF LESS FLANGE LH LEFTHAND LH-L LEFTHAND LEFT LEFTHAND RIGHT LH-R

PLASTIC BOWL

PCC POLISHED CHROME CONSTRUCTION PCH POLISHED CHROME SHOWER HEAD PCN POLISHED CHROME NIPPLE

R RIGHT

ROUGH CHROME PLATED SHOWER HEAD SSH STAINLESS STEEL SHOWER HEAD

T DRAIN TRAP TP TAILPIECE TΙ TOP INLET

THREADLE OPERATED TO VB VACUUM BREAKER

- Yellow Construction, Yellow Plastic Shower Head, Head (if applicable model contains shower head), Generic Stainless Steel Eyewash Bowl (if applicable model contains eyewash bowl)
- PY Yellow Construction, Yellow Plastic Shower Head (if applicable model contains shower head), Generic Yellow Plastic Eyewash Bowl
- Green Construction, Green Plastic Shower Head (if applicable model contains shower head), Generic Stainless Steel Eyewash Bowl (if applicable model contains eyewash bowl)
- PG Green Construction, Green Plastic Shower Head (if applicable model contains shower head), Generic Green Plastic Eyewash Bowl

## ADDITIONAL COMPANY INFO:

## Grainger

Model No.	Description:
49EV42	YELLOW SHOWER HEAD
49EV43	YELLOW SHOWER HEAD
49EV44	YELLOW SHOWER HEAD AND STAINLESS STEEL BOWL
49EV45	YELLOW SHOWER HEAD AND BOWL
49EV46	YELLOW, STAINLESS STEEL BOWL
49EV47	YELLOW BOWL
49EV48	YELLOW, STAINLESS BOWL
49EV49	YELLOW BOWL
49EV50	GREEN SHOWER HEAD
49EV51	GREEN SHOWER HEAD
49EV52	GREEN SHOWER HEAD AND STAINLESS STEEL BOWL
49EV53	GREEN SHOWER HEAD AND BOWL
49EV54	GREEN, STAINLESS STEEL BOWL
49EV55	GREEN BOWL
49EV56	GREEN, STAINLESS BOWL
49EV57	GREEN BOWL

## Sellstrom Manufacturing

Model No	Description
Model No. SEL90315	15 Gallon Portable Eyewash/Drench Hose Unit
SEL90315 SEL90235	Emergency Shower, Vertically Mounted
SEL90233	Emergency Shower, Horizontally Mounted, Plastic Shower Head
SEL90243-2	Emergency Shower, Horizontally Mounted, Stainless Steel Shower Head
SEL90452	Pedestal Mounted Eye/Face Wash with Four GS Plus Spray Heads, Stainless
50050452	Steel Bowl and Stay-Open Ball Valve
SEL90457	Pedestal Mounted Eye/Face Wash with Four GS Plus Spray Heads, ABS Plastic
56670437	Bowl and Stay-Open Ball Valve
SEL90410	Wall Mounted Eye/Face Wash with Four GS Plus Spray Heads, Stainless Steel
500000	Bowl and Stay-Open Ball Valve
SEL90415	Wall Mounted Eye/Face Wash with Four GS Plus Spray Heads, Plastic Bowl and
02230110	Stay-Open Ball Valve
SEL90420	Wall Mounted Eye/Face Wash with Two FS Plus Spray Heads, Stainless Steel
02230120	Bowl and Stay-Open Ball Valve.
SEL90430	Deck Mounted Eye Wash with Two GS Plus Spray Heads, Stay-Open Ball Valve
22230100	and 90 Degree Swivel Feature (Right Hand Mounting)
SEL90431	Deck Mounted Eye Wash with Two GS Plus Spray Heads, Stay-Open Ball Valve
	and 90 Degree Swivel Feature (Left Hand Mounting)
SEL90440	Wall Mounted Eye Wash with Two GS Plus Spray Heads, Stainless Steel Bowl
	and Stay-Open Ball Valve
SEL90445	Wall Mounted Eye Wash with Two GS Plus Spray Heads, Plastic Bowl and
	Stay-Open Ball Valve
SEL90450	Pedestal Mounted Eye Wash with Two GS Plus Spray Heads, Stainless Steel
	Bowl and Stay-Open Ball Valve
SEL90450-4	Pedestal Mounted Eye Wash with Two GS Plus Spray Heads, Stainless Steel Bowl and
	Stay-Open Ball Valve Hand Foot Controlled Actuation Assembly
SEL90455	Pedestal Mounted Eye Wash with Two GS Plus Spray Heads, Plastic Bowl and
	Stay-Open Ball Valve
SEL90455-4	Pedestal Mounted Eye Wash with Two GS Plus Spray Heads, Plastic Bowl and
	Stay-Open Ball Valve Hand Foot Controlled Actuation Assembly
SEL90510	Safety Station with Stay-Open Shower Valve and Eye Wash with Stainless
	Steel Bowl and Stay-Open Ball Valve
SEL90520	Safety Station with Stay-Open Shower Valve and Eye Wash with Plastic Bowl
	and Stay-Open Ball Valve
SEL90520-4	Safety Station with Stay-Open Shower Valve and Eye Wash with Plastic Bowl and
	Stay-Open Ball Valve Hand Foot Controlled Actuation Assembly
SEL90510-2	Safety Station with Stay-Open Shower Valve and Eye Wash with Stainless Steel Bowl,
	Stay-Open Ball Valve, and Stainless Steel Shower Head
SEL90524	Safety Station with Stay-Open Shower Valve and Eye/Face Wash with Plastic Bowl
GDT 00550	and Stay-Open Ball Valve
SEL90550	Safety Station with Stay-Open Shower Valve and Eye/Face Wash and Stay-Open Ball Valve
SEL90570	Corrosion-Resistant All-Stainless Steel Safety Station with Eye Wash
SEL90560	Safety Station with Eyewash, All-PVC Construction
SEL90602-1	Eye Wash/Drench Hose Unit, Deck Mounted
SEL90602-2	Eye Wash/Drench Hose Unit, Wall Mounted
SEL90421 SEL90530	Barrier-Free Pedestal Mounted Emergency Eye/Face Wash Unit Barrier-Free Safety Station with Stay-Open Shower Valve and Eye/Face Wash with
Λςςναπας	Stainless Steel Bowl and Stay-Open Ball Valve
SEL90562	Freeze-Resistant Safety Station with Stay-Open Shower Valve and Eye Wash with
20202	Stainless Steel Bowl and Stay-Open Valve
	Deathless Seed Bowl and Stay Open valve

#### Water Saver Faucet

Model	No.
SS902	***
SS909	***

SS914 SS930\*\*\*

SS931\*\*\*

SS941\*\*

SS942\*\*\*

SS943\*\*\*

SS945

SS946\*\*\*

SS947

SS948

SS949

SS950\*\*\*

SS990

SS991\*\*\*

SS992\*\*

SS993

SS994\*\*\*

SS995\*\*

SS996\*\*\*

SS998

SS010 ES627

ES629\*\*

ES635\*\*\*

ES640

ES641

ES643\*\*\*

ES643MOH

ES648

ES653\*\*\*

ES656

ES658\*\*\*

ES662\*\*\*

ES670\*\*

ES671\*\*

ES672\*\*

ES676

ES677 ES689

ES691\*\*

ES692\*\*

ES693

ES694

ES695

ES696

ES699 FE704\*\*\*

FE709

FE721\*\*

FE724\*\*

FE727

FE730

FE735\*\*

FE745\*\*

FE750\*\*

FE753

FE755 FE756

FE760\*\*\*

FE765

FE766 FE771

FE773

FE774\*\* FE775\*\*

FE776

FE778\*\*\*

FE779\*\*\*

FE781\*\* FE782

FE784\*\*\*

FE786

FE791

FE792 FE794\*\*\*

FE796

EW200 EW201

EW803

EW804

EW805\*\*

EW805ABB EW806\*\*

EW808

EW808CAM

EW810\*\*

EW813 EW814\*\*

EW815\*\*

EW819

EW822\*\*

EW822MOH

EW825\*\*\*

EW847

EW848\*\*\*

EW849\*\*\*

EW890

EW891\*\*

EW892

EW893\*\*

EW894\*\*

EW895\*\*

EW896

EW898\*\*\*

EW899\*\*\*

ESBF629

ESBF635\*\*\*

ESBF643\*\*\*

ESBF658\*\*\*

ESBF662

ESBF670\*\*\*

ESBF671

ESBF672\*\*\*

ESBF675

FEBF704\*\*

FEBF721\*\*

FEBF724\*\*

FEBF735\*\*

FEBF735FDP

FEBF735DP\*\*

GBFVR1735

FEBF736

FEBF736DP

FEBF737

EWBF848\*\*\*

EWBF849\*\*\*

FEBF779\*\*\*

SSBF909\*\*\*

SSBF994

SSBF2100\*\*\*

SSBF2110\*\*

SSBF2120\*\*\*

SSBF2150\*\*\* SSBF2152\*\*\*

SSBF2153

SSBF2160\*\*

SSBF2162

SSBF2163 SSBF2170\*\*\*

SSBF2172

SSBF2252

SSBF2352

SSBF2362

SSBF2372 SSBF2452

SSBF2462

SSBF2472

SSBF2552

SSBF2562

EW1014\*\*

EW1019\*\*

EW1022\*\*\*

EW1026\*\*\* EW1028\*\*

EW1041\*\*

EW1044\*\* EW1046\*\*\*

WSC2650A

WSC2650D

WSC2650G

WSC2650J

WSC2650K

\*\* and \*\*\* denote the following options:

BC BOWL COVER

BACK FLOW PREVENTER BP

BOTTOM INLET ΒI

BSH BRAIDED STAINLESS STEEL HOSE

BT BRITISH THREAD CHICAGO CODE VACUUM BREAKER CC

CT COLOR TECH STAINLESS STEEL DUST COVER DC

file:///S:/Suppliers/U/UltraTech/Product/Gaurdian Certification.html

FSH FLEXIBLE STAINLESS STEEL HOSE

GC GUARDIAN COLOR

HFC HAND FOOT CONTROLED ACTUATION ASSEMBLY

HG UNDER COUNTER HOSE GUARD HS DRENCH HOSE ATTACHMENT

L LEFT LF LESS FLANGE

LH LEFTHAND LEFT
LH-R LEFTHAND RIGHT

P PLASTIC BOWL

PCC POLISHED CHROME CONSTRUCTION
PCH POLISHED CHROME SHOWER HEAD
PCN POLISHED CHROME NIPPLE

R RIGHT

RCP ROUGH CHROME PLATED SHOWER HEAD SSH STAINLESS STEEL SHOWER HEAD

T DRAIN TRAP
TP TAILPIECE
TI TOP INLET

TO THREADLE OPERATED VB VACUUM BREAKER

This IAPMO R&T Listing is current as of 1/12/2020