



All tests reported herein have been performed in accordance with the laboratory's scope of accreditation

No. 1386266.9

(Please quote this number in all correspondence)

CLIENT:

SAMPLE RECEIVED FROM:

Date Received:

Dalton International Ltd.

Dalton International Ltd.

7.9.21

PO Box 259041 Botany, Auckland 2163

SAMPLE DESCRIPTION:

Attn.: Darryl Burn

Orange-red vest, size L.

Client Order No.:

Client Reference:

1 of 6

CONFORMANCE TO AS/NZS 1906.4: 2010 - RETROREFLECTIVE MATERIALS AND DEVICES FOR ROAD TRAFFIC CONTROL PURPOSES.

Conformance
N/A
N/A
N/A
N/A
Complies
Complies
N/A
N/A
Complies
Complies
Complies

"THIS REPORT APPLIES ONLY TO THE SAMPLES TESTED"

Samples and their identifying descriptions have been provided by the client unless otherwise stated. NZWTA Ltd makes no warranty, implied or otherwise as to the source of the tested samples. The above results are designed to provide THE CLIENT WITH GUIDANCE INFORMATION 0NLY. This document shall not be reproduced except in full.

L A Greer Signatory

Judan Signatory

14/09/2021



NZWTA



All tests reported herein have been performed in accordance with the laboratory's scope of accreditation

No. 1386266.9

Date Received:

(Please quote this number in all correspondence)

CLIENT:

Dalton International Ltd.

PO Box 259041

Botany, Auckland 2163

Dalton International Ltd.

SAMPLE RECEIVED FROM:

SAMPLE DESCRIPTION: Orange-red vest, size L.

Attn.: Darryl Burn

Client Order No.:

Client Reference:

2 of 6

7.9.21

AS/NZS 1906.4:2010 - RETROREFLECTIVE MATERIALS AND DEVICES FOR ROAD TRAFFIC CONTROL PURPOSES.

Part 4: High-visibility materials for safety garments.

Section 2: High daytime visibility (Class F and NF) materials.

2.3 - Fluorescent Colour (in accordance with appendix A)

2.4 - Non-fluorescent Colour

Date Tested: 14/9/2021

Instrumentation used: Hunterlab Colorflex EZ-45

Geometry: 45°/0°

45°/0°

Port Diameter:

31.8 mm

Illuminant:

D65

Number of Layers:

1

Observer:

 2^{0}

Number of Measurements:

6

Backing fabric: black with reflectance values from 0.37 to 2.67 (over 400 to 700nm)

Classification of Material: Class F

COLOUR FASTNESS AFTER UV EXPOSURE (Clause 2.5.1)

Pre-treated in accordance with Appendix A, using AS 2001.4.B02- 2001, method 5 to 225 kJ.m -2.

Sample Condition	Chromaticity Coordinates		Luminance Factor	Luminance Factor
	X	У	Υ	Requirement
Dry	0.5577	0.3789	0.48	Orange-Red - 0.40

"THIS REPORT APPLIES ONLY TO THE SAMPLES TESTED"

Samples and their identifying descriptions have been provided by the client unless otherwise stated. NZWTA Ltd makes no warranty, implied or otherwise as to the source of the tested samples. The above results are designed to provide THE CLIENT WITH GUIDANCE INFORMATION 0NLY. This document shall not be reproduced except in full.

L A Greer Signatory

C Judan Signatory

14/09/2021

New Zealand Wool Testing Authority Ltd

22 Bridge Street, PO Box 12065 Ahuriri, Napier 4144, New Zealand

T+64 6 835 1086, F+64 6 835 6473 Email: testing@nzwta.co.nz



NZWTA



All tests reported herein have been performed in accordance with the laboratory's scope of accreditation

No. 1386266.9

Date Received:

(Please quote this number in all correspondence)

CLIENT:

Dalton International Ltd.

PO Box 259041

Botany, Auckland 2163

Attn.: Darryl Burn

SAMPLE RECEIVED FROM:

Dalton International Ltd.

SAMPLE DESCRIPTION:


Orange-red vest, size L.

Lane 13

Client Order No.: Client Reference:

3 of 6

7.9.21



L A Greer Signatory C Judan Signatory

14/09/2021





All tests reported herein have been performed in accordance with the laboratory's scope of accreditation

No. 1386266.9

(Please quote this number in all correspondence)

CLIENT:

SAMPLE RECEIVED FROM:

Date Received:

7.9.21

Dalton International Ltd.

Dalton International Ltd.

PO Box 259041

SAMPLE DESCRIPTION:

Orange-red vest, size L.

Attn.: Darryl Burn

Client Order No.:

Botany, Auckland 2163

Client Reference:

4 of 6

AS/NZS 1906.4:2010 - RETROREFLECTIVE MATERIALS AND DEVICES FOR ROAD TRAFFIC CONTROL PURPOSES.

COMPLIANCE WITH THE STANDARD.

Tested under daylight conditions in accordance with appendix A, AS/NZS 1906.4:2010.

2.3 (a) Colour – as in Table 2.1 and Figure 2.1 (refer to the standard):

Falls within the orange-red colour space.

2.3 (b) Luminance as in Table 2.2 and 2.3 below.

	Dry	Wet
Luminance Factor:	Complies	Not tested
Chromaticity Coordinates:	Comply	Not tested

Minimum luminance factor, section 2.3, 2.4 and 2.6.

Colour Designation	fluorescent colours table 2.2	non- fluorescent colours table 2.3	
Red- orange	0.40 (0.34)	0.15 (0.13)	
Red	0.25 (0.21)	0.15 (0.13)	
Orange	0.40 (0.34)	0.30 (0.25)	
Yellow	0.70 (0.59)	0.40 (0.34)	

Note: Users should be aware that certain open – weave materials, when tested in accordance with appendix A, may not meet the minimum luminance factors specified.

The requirements for wet measurements have been clarified in Amendment No 1 May 2014. The bracketed figures above are the dry requirements minus 15 % (taken to 2 decimal places).

"THIS REPORT APPLIES ONLY TO THE SAMPLES TESTED"

Samples and their identifying descriptions have been provided by the client unless otherwise stated. NZWTA Ltd makes no warranty, implied or otherwise as to the source of the tested samples. The above results are designed to provide THE CLIENT WITH GUIDANCE INFORMATION ONLY. This document shall not be reproduced except in full.

L A Greer Signatory

Signatory

14/09/2021

New Zealand Wool Testing Authority Ltd

22 Bridge Street, PO Box 12065

Ahuriri, Napier 4144, New Zealand T+64 6 835 1086, F+64 6 835 6473 Email: testing@nzwta.co.nz



NZWTA



All tests reported herein have been performed in accordance with the laboratory's scope of accreditation

No. 1386266.9

(Please quote this number in all correspondence)

CLIENT:

Dalton International Ltd.

PO Box 259041

Botany, Auckland 2163

SAMPLE RECEIVED FROM:

Date Received:

7.9.21

Dalton International Ltd.

SAMPLE DESCRIPTION: Orange-red vest, size L.

Attn.: Darryl Burn

Client Order No.:

Client Reference:

5 of 6

AS/NZS 1906.4:2010 - RETROREFLECTIVE MATERIALS AND DEVICES FOR ROAD TRAFFIC CONTROL PURPOSES.

Part 2.5 Durability

Clause 2.5.2

AS 2001.4.15:1994 - DETERMINATION OF COLOURFASTNESS TO WASHING

Date Tested: 14/9/2021

Test L2

Wash temperature =60 ± 2°C

Wash Time = 30mins Steel Balls = 25

ECE reference detergent used at 4g/l with 1g/l sodium perborate.

	Results	Specifications	Compliance to AS/NZS 1906.4
Change of Colour	4-5	Min. 4	Pass

Part 2.5 Durability Clause 2.5.3

AS 2001.4.EO4:2005 - DETERMINATION OF COLOURFASTNESS TO PERSPIRATION

Date Tested: 14/9/2021

Test A used Samples rinsed

	Results	Specifications	Compliance to AS/NZS 1906.4
Change of Colour: Acid	4-5	Min. 4	Pass
Alkaline	4-5		Pass

"THIS REPORT APPLIES ONLY TO THE SAMPLES TESTED"

Samples and their identifying descriptions have been provided by the client unless otherwise stated. NZWTA Ltd makes no warranty, implied or otherwise as to the source of the tested samples. The above results are designed to provide THE CLIENT WITH GUIDANCE INFORMATION ONLY. This document shall not be reproduced except in full.

L A Greer Signatory C Judan Signatory 14/09/2021

New Zealand Wool Testing Authority Ltd

22 Bridge Street, PO Box 12065

Ahuriri, Napier 4144, New Zealand

T +64 6 835 1086, F +64 6 835 6473 Email: testing@nzwta.co.nz





All tests reported herein have been performed in accordance with the laboratory's scope of accreditation

No. 1386266.9

Date Received:

(Please quote this number in all correspondence)

CLIENT:

Dalton International Ltd.

PO Box 259041

Botany, Auckland 2163

Attn.: Darryl Burn

SAMPLE RECEIVED FROM: Dalton International Ltd.

SAMPLE DESCRIPTION:

Orange-red vest, size L.

Client Reference:

6 of 6

7.9.21



"THIS REPORT APPLIES ONLY TO THE SAMPLES TESTED"

Samples and their identifying descriptions have been provided by the client unless otherwise stated. NZWTA Ltd makes no warranty, implied or otherwise as to the source of the tested samples. The above results are designed to provide THE CLIENT WITH GUIDANCE INFORMATION ONLY. This document shall not be reproduced except in full.

L A Greer Signatory

Judan Signatory

14/09/2021

New Zealand Wool Testing Authority Ltd

22 Bridge Street, PO Box 12065

Ahuriri, Napier 4144, New Zealand

T+64 6 835 1086, F+64 6 835 6473 Email: testing@nzwta.co.nz